| | Application No. | Applicant(s) |
|--|--|----------------|
| Notice of Allowability | 09/677,880 | YOSHIDA ET AL. |
| | Examiner | Art Unit |
| | Yogesh K. Aggarwal | 2615 |
| The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. | | |
| 1. This communication is responsive to <u>05/05/2005</u> . | | |
| 2. The allowed claim(s) is/are <u>1-12.</u> | | |
| 3. The drawings filed on 20 February 2004 are accepted by the Examiner. | | |
| 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. | | |
| noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF | | |
| INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date | | |
| Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | | |
| 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material | 6. Interview Summa Paper No./Mail I 7. Examiner's Amer | Date |
| , | | |

Application/Control Number: 09/677,880

Art Unit: 2615

Allowable Subject Matter

- 1. Claims 1-12 are allowed.
- The following is an examiner's statement of reasons for allowance: The prior art of 2. record, neither anticipates nor renders obvious the following limitations as claimed: [Claims 1-12]: A digital camera for acquiring an image data by acquiring a subject image comprising " ... a piezoelectric element configured to displace said imaging device; a detecting circuit configured to detect a representative voltage indicative of a level of voltage presently being applied to the piezoelectric element: a comparing unit configured to compare a reference voltage corresponding to a predetermined amount of displacement of the imaging device with the representative voltage detected by the detecting circuit and to provide an output indicating that the representative voltage detected by the detecting circuit is less than the reference voltage a charging unit including at least one energy accumulating unit configured to power a strobe unit; and a control element configured to supply electricity from the energy accumulating unit of the charging unit to the piezoelectric element to raise said level of voltage presently being applied to the piezoelectric element responsive to the comparing unit providing the output indicating that the representative voltage being detected by the detecting circuit is less than the reference voltage in combination with other claimed elements.
- 3. The prior art Tanaka (USP 4,884,090) teaches a piezoelectric element driving a shutter blade. Therefore there is no motivation to combine Tanaka with Udagawa which discloses a piezoelectric element driving an imaging device.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Application/Control Number: 09/677,880 Page 3

Art Unit: 2615

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for

Allowance.

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Yogesh K. Aggarwal whose telephone number is (571) 272-7360.

The examiner can normally be reached on M-F 9:00AM-5:30PM.

4. If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, David Ometz can be reached on (571)-272-7593. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

5. Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YKA

July 19, 2005

DAVID L. OMETZ BIMARY FYAMINFR